



| Standard | Equipment/Supplies | BLS Ambulance | AEMT | CC Ambulance | Paramedic |
|----------|--|----------------------------|--|---|--|
| BLS 1 | Unit meets NYS minimum BLS equipment standards for certification, per latest Part 800. | x | x | x | x |
| BLS 2 | Albuterol premix 0.083% (3 ml) | Regional Approval required | 5 | 5 | 5 |
| BLS 3 | Epinephrine pen or BLS syringe epinephrine kit-if carrying EPI Pen, then 1 adult and 1 pediatric epi pen need to be carried. | 2 | 2 | 2 | 2 |
| BLS 4 | Glucometer with test strips & lancets- NYS DOH Limited Service Laboratory Registration is Required for Glucometers | Regional Approval required | Regional Approval required | Regional Approval required | Regional Approval required |
| BLS 5 | Aspirin, bottle of chewable 325 or 81 mg/tablets | 1 | 1 | 1 | 1 |
| BLS 6 | Hemostatic gauze | 1 | 1 | 1 | 1 |
| BLS 7 | Commercially made Tourniquet | 2 | 2 | 2 | 2 |
| | AED for BLS Unit | 1 | 1 | | |
| BLS 8 | Pulse oximeter | 1 | 1 | 1 | 1 |
| BLS 9 | Nebulizer | Regional Approval required | Regional Approval required | Regional Approval required | Regional Approval required |
| BLS 10 | CPAP | Regional Approval required | Regional Approval required | x | x |
| ALS 1 | Portable monitor-defibrillator with the following: Operates on batteries, independent of outside power source Monitors patient's Lead II ECG via self-adhesive defibrillation electrodes Cardiac monitoring in operator's manually-selectable choice of standard limb leads I, II, and III, via a standard three- or four-electrode patient monitoring cable and standard (dot) monitoring electrodes Continuous and/or intermittent real-time recording of the patient's ECG on paper + highlight replay (Code Summary) Manual defibrillator AED mode Self-adhesive defibrillation electrodes Manually-actuated, synchronized cardioversion Interconnectivity with biotelemetry transmitter External transcutaneous pacemaker Make & model of monitor defibrillator: _____ Month & year purchased: _____ Purchased: <input type="radio"/> New <input type="radio"/> Used | | | 1 | 1 |
| ALS 2 | Sets of adult-sized, self-adhesive, disposable defibrillation electrodes | 2 | 2 | 2 | 2 |
| ALS 3 | Sets of pediatric-sized self-adhesive defibrillation electrodes | 2 | 2 | 2 | 2 |
| ALS 4 | Sets of self-adhesive, disposable external pacing electrodes (may be same as ALS 2, if unit uses combination electrodes) | | | 2 | 2 |
| ALS 5 | Spare monitoring cable for monitor/defibrillator (not required if monitor has hands-free defib) | | | 1 | 1 |
| ALS 6 | ECG monitoring electrodes - 12-lead acquisition | | 20 | 20 | 20 |
| ALS 7 | Intravenous fluid and administration supplies: Dextrose 10% 25 grams/unit 250ml 100 ml Plastic bags of normal saline 1000 ml Plastic bags of normal saline | | 2 0 4 | 2 4 4 | 2 4 4 |
| ALS 8 | IV Catheters, needles, and syringes: #14 gauge over-the-needle IV catheters #16 gauge over-the-needle IV catheters #18 gauge over-the-needle IV catheters #20 gauge over-the-needle IV catheters #22 gauge over-the-needle IV catheters #24 gauge over-the-needle IV catheters #18 gauge steel hypodermic needles #21 gauge steel hypodermic needles #25 gauge steel hypodermic needles Bone marrow needles 20 ml Luer-lock sterile disposable syringe 10 ml Luer-lock sterile disposable syringe 5 ml Luer-lock sterile disposable syringe 3 ml Luer-lock sterile disposable syringe 1 ml Luer-lock sterile disposable syringe | | 3 3 3 3 3 3 2 2 2 2 2 2 2 2 2 2 | 3 3 3 3 3 3 2 2 2 2 2 2 2 2 2 | 3 3 3 3 3 3 2 2 2 2 2 2 2 2 |



| Standard | Equipment/Supplies | BLS Ambulance | AEMT | CC Ambulance | Paramedic |
|-------------------------|---|---------------|------|--------------|-----------|
| ALS 10 | Disposable surgical face masks | | 12 | 12 | 12 |
| | N-95 or greater respirator for EACH crew member on vehicle | | 2 | 2 | 2 |
| ALS 11 | Disposable, fluid-impermeable medical gowns | | 2 | 2 | 2 |
| ALS 12 | Endotracheal intubation equipment: | | | | |
| | Miller #0 lighted laryngoscope blade | | | 1 | 1 |
| | Miller #1 lighted laryngoscope blade | | | 1 | 1 |
| | Miller or Mac #2 lighted laryngoscopy blade | | | 1 | 1 |
| | Miller or Mac #3 lighted laryngoscopy blade | | 1 | 1 | 1 |
| | Miller or Mac #4 lighted laryngoscopy blade | | 1 | 1 | 1 |
| | Functional Adult Laryngoscope | | 1 | 1 | 1 |
| | Functional Pediatric Laryngoscope | | | 1 | 1 |
| | Adult Magill-type forceps | | 1 | 1 | 1 |
| | Pediatric Magill-type forceps | | | 1 | 1 |
| | 2.5 mm ID uncuffed endotracheal tubes | | | 2 | 2 |
| | 3.0 mm ID uncuffed endotracheal tubes | | | 2 | 2 |
| | 3.5 mm ID uncuffed endotracheal tubes | | | 2 | 2 |
| | 4.0 mm ID uncuffed endotracheal tubes | | | 2 | 2 |
| | 5.0 mm ID uncuffed endotracheal tubes | | | 2 | 2 |
| | 6.0 mm ID cuffed endotracheal tubes | | 2 | 2 | 2 |
| | 7.0 mm ID cuffed endotracheal tubes | | 2 | 2 | 2 |
| | 8.0 mm ID cuffed endotracheal tubes | | 2 | 2 | 2 |
| | 9.0 mm ID cuffed endotracheal tubes | | 2 | 2 | 2 |
| | Adult-sized disposable wire stylets | | 2 | 2 | 2 |
| | Gum Elastic Bougie | | 1 | 1 | 1 |
| | Pediatric-sized disposable wire stylets | | | 2 | 2 |
| | Infant-sized disposable wire stylets | | | 2 | 2 |
| | Regionally approved alternative rescue airway device- King Airway Device or I-Gel Airway Device | | 1 | 1 | 1 |
| | Single-use packets of water-soluble lubricant | | 4 | 4 | 4 |
| | OR Multiple-use tube of water-soluble lubricant jelly | | 1 | 1 | 1 |
| | Commercial ET tube securing devices | | 2 | 2 | 2 |
| | Electronic waveform capnography | | 1 | 1 | 1 |
| | #10 French sterile disposable suction catheters | | 1 | 1 | 1 |
| | #12 French sterile disposable suction catheters | | 1 | 1 | 1 |
| | #14 French sterile disposable suction catheters | | 1 | 1 | 1 |
| | #14 French Orogastric Tube | | | | 1 |
| | #16 French Orogastric Tube | | | | 1 |
| | 10 ml Disposable syringes without needles | | 2 | 2 | 2 |
| Portable pulse oximeter | | 1 | 1 | 1 | |
| ALS 13 | Drug inventory -in addition to all BLS Medications-as follows: | | | | |
| | Acetaminophen 325mg/10.15ml PO (2-325mg/10.15mL PO unit doses) | | 2 | 2 | 2 |
| | Adenosine 6 mg/2 ml | | | 3 | 3 |
| | Amiodarone, vial, 150 mg (3 ml) | | | 4 | 4 |
| | Atropine sulfate 1.0 mg/10 ml | | | 2 | 2 |
| | Ipratropium (Atrovent)-may be premixed with albuterol | | | 2 | 2 |
| | Calcium chloride | | | 2 | 2 |
| | Benadryl 50 mg/1 ml | | | 1 | 1 |
| | Dexamethasone (Decadron) | | | 2 | 2 |
| | Dextrose 10% 25 grams/unit 250 ml | | 2 | 2 | 2 |
| | Diltiazem 25 mg/5 ml, may sub Lopressor | | | 1 | 1 |
| | Epinephrine 1:1,000 1 mg/1 ml | | | 2 | 2 |
| | Epinephrine 1:10,000 (0.1 mg/10 ml) | | 6 | 6 | 6 |
| | Etomidate 2 mg/ml if authorized | | | 2 | 2 |
| | Glucagon 1 mg unit | | | 1 | 1 |
| | Haloperidol | | | 2 | 2 |
| | Ibuprofen 100mg/5ml PO (4-100mg/5ml PO unit doses) | | 4 | 4 | 4 |
| | Ketorolac (Toradol) | | | 1 | 1 |
| | Lidocaine 2% | | | 3 | 3 |
| | Magnesium sulfate 5 gm | | | 2 | 2 |
| | Metoprolol | | | 4 | 4 |
| | Naloxone (Narcan) 2 mg / 2 ml | 2 | 2 | 2 | 2 |
| | Nitroglycerin 0.4 mg/tab, 25 tabs/bottle or metered dose | | | 1 | 1 |



| Standard | Equipment/Supplies | BLS Ambulance | AEMT | CC Ambulance | Paramedic |
|----------|--|---------------|------|----------------------------|----------------------------|
| | Nitrous oxide | | | Regional Approval required | Regional Approval required |
| | Norepinephrine 4 mg | | | 1 | 1 |
| | Ondansetron (inj) 4 mg | | | 2 | 2 |
| | Ondansetron (PO) 4 mg tab | | | 2 | 2 |
| | Sodium bicarbonate 50 mEq/50 ml | | | 2 | 2 |
| | Tetracaine*** unit dose (optional) | | | 1 bottle/vial | 1 bottle/vial |
| | Controlled substances | | | | |
| | Fentanyl 100 mcg | | | 2 | 2 |
| | Ketamine (paramedic only) 500 mg/5 ml | | | | 2 |
| | Midazolam (Versed) 5 mg | | | 4 | 4 |
| | Morphine 10 mg | | | 2 | 2 |
| | RSI Medication formulary-RSI requires regional approval | | | | |
| | Rocuronium 10 mg (RSI Med Optional) | | | | 2 |
| | Succinylcholine 20 mg (RSI Med Optional) | | | | 2 |
| | Vecuronium 1 mg (RSI Med Optional) | | | | 2 |
| ALS 14 | Small-volume nebulizers for albuterol | 2 | 2 | 2 | 2 |
| ALS 15 | Broselow or equivalent pediatric emergency tape | | | 1 | 1 |
| ALS 16 | Copy of current regional ALS protocols (Recommended that a printed copy be carried) | 1 | 1 | 1 | 1 |
| ALS 18 | Approved rescue airway | | | | |
| ALS 19 | Mechanical IO gun/drill/spring loaded device-with appropriate size needles to treat adult and pediatric patients | | 2 | 2 | 2 |
| | All ALS equipment and supplies clean, sanitary, and/or sterile (where appropriate) | | √ | x | x |
| | Drugs, sharps, and syringes securely locked in vehicle | x | √ | x | x |
| | Sharps container in fixed cabinet | x | x | x | x |
| | Approved Optional Equipment- Morgan Lens | | | | |